EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	(core and slot and (concave recess groove cutout cut $1out depression indentation notch) and ((outer external exterior outside) adj (circumferential wall surface)) and ((inner internal interior inside) adj (circumferential wall surface)) and (coil winding) and (linear straight) and (slit split) and (partial$2 portion$2) and radial $2 and (lower weaker less) and (crush$3 same strength) and (helical$2 spiral$2) and align$4 and (adjacent adj layer)). clm.	US-PGPUB; USPAT	OR	ON	2008/10/07 21:33
L4	0	(core and slot and (concave recess groove cutout cut $1out depression indentation notch) and ((outer external exterior outside) adj (circumferential wall surface)) and ((inner internal interior inside) adj (circumferential wall surface)) and (coil winding) and (linear straight) and (slit split) and (partial$2 portion$2) and radial $2 and (lower weaker less) and (crush$3 same strength) and	US-PGPUB; USPAT	OR	ON	2008/10/07 21:35

		(helical$2 spiral$2)). clm.				
L5	0	(core and slot and (concave recess groove cutout cut $1out depression indentation notch) and ((outer external exterior outside) same (circumferential wall surface)) and ((inner internal interior inside) same (circumferential wall surface)) and (coil winding) and (linear straight) and (slit split) and (partial$2 portion$2) and radial $2 and (lower weaker less) and (crush$3 same strength) and (helical$2 spiral$2)). clm.	US-PGPUB; USPAT	OR	ON	2008/10/07 21:35
L6	1	(core and slot and (concave recess groove cutout cut $1out depression indentation notch) and ((outer external exterior outside) same (circumferential wall surface)) and ((inner internal interior inside) same (circumferential wall surface)) and (coil winding) and (linear straight) and (slit split) and (partial$2 portion$2) and (helical $2 spiral$2)).clm.	US-PGPUB; USPAT	OR	ON	2008/10/07 21:36

| L7 | 6 | (core and slot and (concave recess groove cutout cut $1out depression indentation notch) and ((outer external exterior outside) same (circumferential wall surface)) and ((inner internal interior inside) same (circumferential wall surface)) and (coil winding) and (linear straight) and (slit split) and (partial$2 portion$2)).clm. | US-PGPUB; USPAT | OR | ON | 2008/10/07 21:36 |

10/7/08 9:41:58 PM
C:\ Documents and Settings\ TNguyen11\ My Documents\ EAST\ Workspaces
\ 10635611.wsp